

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations  
801-619-7242  
annestehno@utah.gov

**Prepared For:**  
CLASS 0228 CREW

## **2013 Toyota Tacoma 2WD Double Cab V6 AT (Natl)**



### **2013 Toyota Tacoma 2WD Double Cab V6 AT PreRunner (Natl) (7188)**

---

CLASS 0228 CREW

TRUCK MIDSIZE CREW CAB 4X2

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

# Vehicle Report: Table of Contents

## VEHICLE INFORMATION

|                         |   |
|-------------------------|---|
| Selected Model          | 1 |
| Selected Vehicle Colors | 1 |
| Selected Options        | 1 |

## STANDARD EQUIPMENT

|               |   |
|---------------|---|
| Mechanical    | 2 |
| Exterior      | 2 |
| Entertainment | 2 |
| Interior      | 2 |
| Safety        | 3 |

## TECHNICAL SPECIFICATIONS

|            |   |
|------------|---|
| Chassis    | 4 |
| Vehicle    | 6 |
| Powertrain | 6 |
| Dimensions | 7 |

## WARRANTY INFORMATION

|                      |   |
|----------------------|---|
| Warranty Information | 9 |
|----------------------|---|

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Vehicle Information

## SELECTED MODEL

| Code | Description   | Front Weight | Rear Weight |
|------|---|--------------|-------------|
| 7188 | 2013 Toyota Tacoma 2WD Double Cab V6 AT PreRunner (Nat'l) | 2172 lbs     | 1778 lbs    |

## SELECTED VEHICLE COLORS

## SELECTED OPTIONS

| Code | Description   |
|------|---|
| FE   | 50 STATE EMISSIONS  |
| —    | OPTIONS PKG NOT DESIRED   |
| FR13 | GRAPHITE, FABRIC SEAT TRIM  |
| CP   | CONVENIENCE PKG, -inc: remote keyless entry, cruise control, sliding rear window w/privacy glass, steering wheel mounted audio controls, (N/A w/SL SR5 Pkg, OC TRD Off-Road Pkg, PY TRD Sport Pkg, LT Limited Pkg)                        |
| TO   | TOWING PKG, -inc: class IV hitch, trans oil cooler, supplemental oil cooler, HD battery, 130-amp alternator, 7-pin connector w/converter, trailer sway control, (REQ: SL SR5 Pkg, PY TRD Sport Pkg, LT Limited Pkg or CP Convenience Pkg) |
| FL   | HD ALL WEATHER FLOORING   |

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Standard Equipment

## MECHANICAL

4.0L DOHC EFI 24-valve V6 VVT-i engine  
5-speed electronically controlled automatic transmission w/(ECT-i)  
Automatic rear limited slip differential  
Rear wheel drive  
Engine skid plate  
1-piece frame rails w/(8) cross members & fully boxed front sub-frame  
Coil-spring double-wishbone front suspension  
Rear leaf-spring suspension w/staggered outboard-mounted gas shock absorbers  
Front & rear stabilizer bars  
Variable-assist pwr rack & pinion steering  
Pwr ventilated front disc & rear drum w/rear tandem booster brakes

## EXTERIOR

16" styled steel wheels  
P245/75R16 mud & snow tires  
Full-size spare tire  
Front & rear mudguards  
Black grille insert & argent surround  
Black bumpers, mirrors, door handles & overfenders  
Multi-reflector halogen headlamps  
Pwr mirrors  
2-speed windshield wipers  
Fiber-reinforced sheet-molded composite bed -inc: steel outer panels, storage compartments, rail caps, removable tailgate  
Deck rail system w/(4) adjustable tie-down cleats  
(4) fixed cargo bed tie-down points

## ENTERTAINMENT

AM/FM stereo w/CD/MP3/WMA player -inc: 6.1" touch screen, (6) speakers, aux audio jack, USB port w/iPod connectivity & control  
Bluetooth wireless technology

## INTERIOR

Fabric-trimmed front bucket seats -inc: 4-way adjustable driver & front passenger seats, passenger fold-flat seat, adjustable driver lumbar support, active headrests  
60/40 split rear bench seat w/adjustable headrests, underseat storage  
Center console -inc: covered armrest, storage compartment  
(5) cup holders & bottle holders  
Full carpeting  
Tilt & telescopic steering wheel  
Gauges -inc: tachometer, coolant temp, fuel level, LCD display, tripmeter, digital clock  
Pwr windows  
Pwr door locks  
Engine immobilizer  
Air conditioning  
Dual 12V aux pwr outlets  
Overhead console -inc: maplights, sunglasses storage  
Sun visors w/front passenger vanity mirror  
Rear bulkhead storage

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## SAFETY

- 4-wheel anti-lock brakes
- Brake assist
- Electronic brake-force distribution
- Smart stop technology
- Vehicle stability control
- Traction control
- Side-door impact door beams
- Daytime running lights
- Driver & front passenger advanced airbags w/passenger airbag cut-off switch
- Driver & front passenger seat-mounted side airbags
- Front & rear side curtain airbags
- 3-point seat belts w/emergency locking retractor at all seating positions -inc: front seat belt pretensioners, force limiters & adjustable shoulder anchors, automatic/emergency locking retractor for front passenger & rear seat belts
- LATCH lower & top tether anchors for front passenger seat & all rear seats
- Rear door child safety locks
- Tire pressure monitor system

All specifications are subject to change without notice.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Technical Specifications

## CHASSIS

### Weight Information

|                               |             |
|-------------------------------|-------------|
| Trim Curb Weight              | 3950.00 lbs |
| Standard Weight - Front       | 0 lbs       |
| Standard Weight - Rear        | 0 lbs       |
| Base Trim Weight - Front      | 2172.00 lbs |
| Base Trim Weight - Rear       | 1778.00 lbs |
| Gross Axle Wt Rating - Front  | 2755 lbs    |
| Gross Axle Wt Rating - Rear   | 3110 lbs    |
| Curb Weight - Front           | 2172 lbs    |
| Curb Weight - Rear            | 1778 lbs    |
| Option Weight - Front         | 0.00 lbs    |
| Option Weight - Rear          | 0.00 lbs    |
| Reserve Axle Capacity - Front | 583.00 lbs  |
| Reserve Axle Capacity - Rear  | 1332.00 lbs |
| As Spec'd Curb Weight         | 3950.00 lbs |
| As Spec'd Payload             | 1450.00 lbs |
| Maximum Payload Capacity      | 1450.00 lbs |
| Gross Combined Wt Rating      | 11100 lbs   |
| Gross Axle Weight Rating      | 5865.00 lbs |
| Curb Weight                   | 3950.00 lbs |
| Reserve Axle Capacity         | 1915.00 lbs |
| Total Option Weight           | 0.00 lbs    |
| Payload Weight Front          | 0 lbs       |
| Payload Weight Rear           | 0 lbs       |
| Gross Vehicle Weight Rating   | 5400.00 lbs |

### Trailer

|   |          |
|---|----------|
| Dead Weight Hitch - Max Trailer Wt.     | 5000 lbs |
| Dead Weight Hitch - Max Tongue Wt.      | 500 lbs  |
| Wt Distributing Hitch - Max Trailer Wt. | 6400 lbs |
| Wt Distributing Hitch - Max Tongue Wt.  | 640 lbs  |
| Maximum Trailering Capacity             | N/A lbs  |

### Frame

|                         |                     |
|-------------------------|---------------------|
| Frame Type              | Ladder              |
| Sect Modulus Rails Only | N/A in <sup>3</sup> |
| Frame RBM               | N/A N/A             |
| Frame Strength          | N/A lbs             |
| Frame Thickness         | N/A in              |

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Suspension

|                                 |                 |
|---------------------------------|-----------------|
| Suspension Type - Front         | Double-Wishbone |
| Suspension Type - Rear          | Leaf-Spring     |
| Spring Capacity - Front         | N/A lbs         |
| Spring Capacity - Rear          | N/A lbs         |
| Axle Type - Front               | N/A             |
| Axle Type - Rear                | N/A             |
| Axle Capacity - Front           | N/A lbs         |
| Axle Capacity - Rear            | N/A lbs         |
| Axle Ratio (:1) - Front         | N/A             |
| Axle Ratio (:1) - Rear          | N/A             |
| Shock Absorber Diameter - Front | N/A mm          |
| Shock Absorber Diameter - Rear  | N/A mm          |
| Stabilizer Bar Diameter - Front | 1.18 in         |
| Stabilizer Bar Diameter - Rear  |                 |

## Tires

|                                   |            |
|-----------------------------------|------------|
| Front Tire Order Code             |            |
| Rear Tire Order Code              |            |
| Spare Tire Order Code             |            |
| Front Tire Size                   | P245/75R16 |
| Rear Tire Size                    | P245/75R16 |
| Spare Tire Size                   | Full-size  |
| Front Tire Capacity               | N/A lbs    |
| Rear Tire Capacity                | N/A lbs    |
| Spare Tire Capacity               | N/A lbs    |
| Revolutions/Mile @ 45 mph - Front | N/A        |
| Revolutions/Mile @ 45 mph - Rear  | N/A        |
| Revolutions/Mile @ 45 mph - Spare | N/A        |

## Wheels

|                      |               |
|----------------------|---------------|
| Front Wheel Size     | 16 x -TBD- in |
| Rear Wheel Size      | 16 x -TBD- in |
| Spare Wheel Size     | 16 x -TBD- in |
| Front Wheel Material | Steel         |
| Rear Wheel Material  | Steel         |
| Spare Wheel Material | Steel         |

## Steering

|                                 |                   |
|---------------------------------|-------------------|
| Steering Type                   | Pwr Rack & Pinion |
| Steering Ratio (:1), Overall    | N/A               |
| Steering Ratio (:1), On Center  | 17.4              |
| Steering Ratio (:1), At Lock    | 3.64              |
| Turning Diameter - Curb to Curb | 40.6 ft           |
| Turning Diameter - Wall to Wall | N/A ft            |

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Brakes

|                                    |                  |
|------------------------------------|------------------|
| Brake Type                         | Pwr-Assisted     |
| Brake ABS System                   | 4-Wheel          |
| Brake ABS System (Second Line)     |                  |
| Disc - Front (Yes or )             | Yes              |
| Disc - Rear (Yes or )              |                  |
| Front Brake Rotor Diam x Thickness | 12.56 x -TBD- in |
| Rear Brake Rotor Diam x Thickness  |                  |
| Drum - Rear (Yes or )              | Yes              |
| Rear Drum Diam x Width             | 10.0 x -TBD- in  |

## Fuel Tank

|                                |          |
|--------------------------------|----------|
| Fuel Tank Capacity, Approx     | 21.1 gal |
| Aux Fuel Tank Capacity, Approx |          |
| Fuel Tank Location             | Midship  |
| Aux Fuel Tank Location         |          |

## VEHICLE

|  |          |
|--|----------|
| Tons/yr of CO2 Emissions @ 15K mi/year | 9.8      |
| EPA Greenhouse Gas Score               | 3 (2011) |

## POWERTRAIN

### Transmission

|                                     |                  |
|-------------------------------------|------------------|
| Drivetrain                          | Rear Wheel Drive |
| Trans Order Code                    |                  |
| Trans Type                          | 5                |
| Trans Description Cont.             | Automatic        |
| Trans Description Cont. Again       |                  |
| First Gear Ratio (:1)               | 3.52             |
| Second Gear Ratio (:1)              | 2.04             |
| Third Gear Ratio (:1)               | 1.40             |
| Fourth Gear Ratio (:1)              | 1.00             |
| Fifth Gear Ratio (:1)               | 0.72             |
| Reverse Ratio (:1)                  | 3.22             |
| Clutch Size                         |                  |
| Trans Power Take Off                | N/A              |
| Final Drive Axle Ratio (:1)         | N/A              |
| Transfer Case Model                 |                  |
| Transfer Case Gear Ratio (:1), High |                  |
| Transfer Case Gear Ratio (:1), Low  |                  |
| Transfer Case Power Take Off        | N/A              |

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.



**Mileage**

|                             |           |
|-----------------------------|-----------|
| EPA Fuel Economy Est - Hwy  | 21 MPG    |
| Cruising Range - City       | 358.70 mi |
| EPA Fuel Economy Est - City | 17 MPG    |
| Fuel Economy Est-Combined   | 19 MPG    |
| Cruising Range - Hwy        | 443.10 mi |

**Engine**

|                          |                           |
|--------------------------|---------------------------|
| Engine Order Code        |                           |
| Engine Type              | Gas V6                    |
| Displacement             | 4.0L/241                  |
| Fuel System              | Electronic Fuel Injection |
| SAE Net Horsepower @ RPM | 236 @ 5200                |
| SAE Net Torque @ RPM     | 266 @ 4000                |
| Engine Oil Cooler        |                           |

**Electrical**

|                                     |     |
|-------------------------------------|-----|
| Cold Cranking Amps @ 0° F (Primary) | N/A |
| Cold Cranking Amps @ 0° F (2nd)     |     |
| Cold Cranking Amps @ 0° F (3rd)     | N/A |
| Maximum Alternator Capacity (amps)  | 130 |

**Cooling System**

|                               |          |
|-------------------------------|----------|
| Total Cooling System Capacity | 10.1 qts |
|-------------------------------|----------|

**DIMENSIONS****Interior Dimensions**

|                      |         |
|----------------------|---------|
| Passenger Capacity   | 5       |
| Front Head Room      | 40.2 in |
| Front Leg Room       | 41.7 in |
| Front Shoulder Room  | 57.7 in |
| Front Hip Room       | 53.5 in |
| Second Head Room     | 38.4 in |
| Second Leg Room      | 32.7 in |
| Second Shoulder Room | 58.7 in |
| Second Hip Room      | 54.6 in |

**carbookfleetedition**

**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Exterior Dimensions

|                                 |          |
|---------------------------------|----------|
| Wheelbase                       | 127.4 in |
| Length, Overall w/o rear bumper | 221.3 in |
| Width, Max w/o mirrors          | 74.6 in  |
| Height, Overall                 | 70.1 in  |
| Overhang, Front                 | N/A in   |
| Overhang, Rear w/o bumper       | N/A in   |
| Front Bumper to Back of Cab     | N/A in   |
| Cab to Axle                     | N/A in   |
| Cab to End of Frame             | N/A in   |
| Ground to Top of Load Floor     | N/A in   |
| Ground to Top of Frame          | N/A in   |
| Frame Width, Rear               | N/A in   |
| Ground Clearance, Front         | N/A in   |
| Ground Clearance, Rear          | N/A in   |
| Body Length                     | 0.00 ft  |
| Cab to Body                     | N/A in   |

## Cargo Area Dimensions

|                                 |                     |
|---------------------------------|---------------------|
| Cargo Box Length @ Floor        | 60.3 in             |
| Cargo Box Width @ Top, Rear     | N/A in              |
| Cargo Box Width @ Floor         | 56.7 in             |
| Cargo Box Width @ Wheelhousings | 41.5 in             |
| Cargo Box (Area) Height         | 18.0 in             |
| Tailgate Width                  | N/A in              |
| Cargo Volume                    | N/A ft <sup>3</sup> |
| Ext'd Cab Cargo Volume          | N/A ft <sup>3</sup> |

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition




**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Warranty Information

|                          |
|--------------------------|
| Basic:                   |
| 3 Years/36,000 Miles     |
| Drivetrain:              |
| 5 Years/60,000 Miles     |
| Corrosion:               |
| 5 Years/Unlimited Miles  |
| Roadside Assistance:     |
| 2 Years/25,000 Miles     |
| 24/7 Roadside Assistance |
| Maintenance:             |
| 2 Years/25,000 Miles     |



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.